Author index

Aberle, N., Hillebrand, H., Grey, J. & Wiltshire, K. H. Selectivity and competitive interactions between two benthic invertebrate grazers (*Asellus aquaticus* and *Potamopyrgus antipodarum*): an experimental study using ^{13}C- and ^{15}N-labelled diatoms, 369

Åbjörnsson, K. *see* Hansson, L.-A.

Acharya, K., Jack, J. D. & Bukaveckas, P. A. Dietary effects on life history traits of riverine *Bosmina*, 965

Admiraal, W. *see* de Haas, E. M.

Adrian, R. *see* Köhler, J.

Alfonso, T. *see* Romo, S.

Álvarez, M. & Pardo, I. Life history and production of *Agapetus quadratus* (Trichoptera: Glossosomatidae) in a temporary, spring-fed stream, 930

Alvarez-Cobelas, M., Velasco, J. L., Valladolid, M., Baltanás, A. & Rojo, C. Daily patterns of mixing and nutrient concentrations during early autumn circulation in a small sheltered lake, 813

An, S. *see* Xie, Y.

Anastácio, P. M., Parente, V. S. & Correia, A. M. Crayfish effects on seeds and seedlings: identification and quantification of damage, 697

Andersen, F. Ø. *see* Andersen, T.

Andersen, T., Pedersen, O. & Andersen, F. Ø. Nutrient concentrations in a *Littorella uniflora* community at higher CO_2 concentrations and reduced light intensities, 1178

Anderson, N. J., Jeppesen, E. & Søndergaard, M. Ecological effects of reduced nutrient loading (oligotrophication) on lakes: an introduction, 1589

Anderson, N. J. *see* Battarbee, R. W.

Anderson, T. R. & Hessen, D. O. Threshold elemental ratios for carbon versus phosphorus limitation in *Daphnia*, 2063

Andersson, G. *see* Hargeby, A.

Anneville, O., Gammeter, S. & Straile, D. Phosphorus decrease and climate variability: mediators of synchrony in phytoplankton changes among European peri-alpine lakes, 1731

Anneville, O. *see* Jeppesen, E.

Antenucci, J. P., Ghadouani, A., Burford, M. A. & Romero, J. R. The long-term effect of artificial destratification on phytoplankton species composition in a subtropical reservoir, 1081

Arthington, A. H. *see* Kennard, M. J.

Asaeda, T., Fujino, T. & Manatunge, J. Morphological adaptations of emergent plants to water flow: a case study with *Typha angustifolia*, *Zizania latifolia* and *Phragmites australis*, 1991

Auwerkerken, J. *see* Rejas, D.

Baattrup-Pedersen, A., Friberg, N., Larsen, S. E. & Riis, T. The influence of channelisation on riparian plant assemblages, 1248

Bacchi, M. *see* Bady, P.

Bady, P., Dolédec, S., Fesl, C., Gayraud, S., Bacchi, M. & Schöll, F. Use of invertebrate traits for the biomonitoring of European large rivers: the effects of sampling effort on genus richness and functional diversity, 159

Bady, P. *see* Statzner, B.

Bailey, R. C. *see* Sylvestre, S.

Balayla, D. J. *see* Moss, B.

Ballinger, A., Nally, R. M. & Lake, P. S. Immediate and longer-term effects of managed flooding on floodplain invertebrate assemblages in south-eastern Australia : generation and maintenance of a mosaic landscape, 1190

Baltanás, A. *see* Alvarez-Cobelas, M.

Banks, J. L. *see* Herlihy, A. T.

Barahona, J., Millan, A. & Velasco, J. Population dynamics, growth and production of *Sigara selecta* (Fieber, 1848) (Hemiptera, Corixidae) in a Mediterranean hypersaline stream, 2101

Barbieri, R. *see* Mamuris, Z.

Barfield, M. *see* O'Brien, W. J.

Barker, P. A., Pates, J. M., Payne, R. J. & Healey, R. M. Changing nutrient levels in Grasmere, English Lake District, during recent centuries, 1971

Barker, T. *see* Moss, B.

Battarbee, R. W., Anderson, N. J., Jeppesen, E. & Leavitt, P. R. Combining palaeolimnological and limnological approaches in assessing lake ecosystem response to nutrient reduction, 1772

Battoe, L. E. *see* Coveney, M. F.

Bauder, E. T. The effects of an unpredictable precipitation regime on vernal pool hydrology, 2129

Bauer, H.-G. *see* Werner, S.

Baxter, C. V., Fausch, K. D. & Carl Saunders, W. Tangled webs: reciprocal flows of invertebrate prey link streams and riparian zones, 201

Bayley, S. E. *see* Norlin, J. I.

Beckmann, M. C., Schöll, F. & Matthaei, C. D. Effects of increased flow in the main stem of the River Rhine on the invertebrate communities of its tributaries, 10

Beijer, J. A. J. *see* Franken, R. J. M.

Beklioglu, M. *see* Moss, B.

Benke, A. C. *see* Tronstad, L. M.

Bennion, H., Johnes, P., Ferrier, R., Phillips, G. & Haworth, E. A comparison of diatom phosphorus transfer functions and export coefficient models as tools for reconstructing lake nutrient histories, 1651

Bennion, H. *see* Davidson, T. A.

Benstead, J. P., Deegan, L. A., Peterson, B. J., Huryn, A. D., Bowden, W. B., Suberkropp, K., Buzby, K. M., Green, A. C. & Vacca, J. A. Responses of a beaded Arctic stream to short-term N and P fertilisation, 277

Benstead, J. P. *see* Cross, W. F.

see also Frost, P. C.

Bergey, E. A. How protective are refuges? Quantifying algal protection in rock crevices, 1163

Berglund, I. *see* Larsson, S.

Bergtold, M., Günter, V. & Traunspurger, W. Is there competition among ciliates and nematodes?, 1351

Bettez, N. *see* O'Brien, W. J.

Binder, J. R. *see* Olson, M. H.

Binkley, M. D. *see* Olson, M. H.

Binzer, T. *see* Sand-Jensen, K.

Blindow, I. *see* Hargeby, A.

Blom, H. *see* Hargeby, A.

Boedeltje, G., Smolders, A. J. P. & Roelofs, J. G. M. Combined effects of water column nitrate enrichment, sediment type and irradiance on growth and foliar nutrient concentrations of *Potamogeton alpinus*, 1537

Bolton, P. *see* Hänfling, B.

Bonada, N., Zamora-Muñoz, C., Rieradevall, M. & Prat, N. Ecological and historical filters constraining spatial caddisfly distribution in Mediterranean rivers, 781

© 2005 Blackwell Publishing Ltd,

Borum, J. *see* Sand-Jensen, K.
Bowden, W. B. *see* Benstead, J. P.
Bowman, M. F., Chambers, P. A. & Schindler, D. W. Changes in stoichiometric constraints on epilithon and benthic macroinvertebrates in response to slight nutrient enrichment of mountain rivers, 1836
Boyero, L. *see* Cheshire, K.
Brämick, U. *see* Mehner, T.
Braña, F. *see* Orizaola, G.
Brancelj, A. *see* Simčič, T.
Brandl, R. *see* Brändle, M.
Brändle, M., Westermann, I. & Brandl, R. Gene flow between populations of two invertebrates in springs, 1
Brendonck, L. *see* Vandekerkhove, J.
Brock, M. A., Nielsen, D. L. & Crosslé, K. Changes in biotic communities developing from freshwater wetland sediments under experimental salinity and water regimes, 1376
Brönmark, C. *see* Hansson, L.-A.
Brooks, A. J., Haeusler, T., Reinfelds, I. & Williams, S. Hydraulic microhabitats and the distribution of macroinvertebrate assemblages in riffles, 331
Brown, S. A., Ruxton, G. D., Pickup, R. W. & Humphries, S. Seston capture by *Hydropsyche siltalai* and the accuracy of capture efficiency estimates, 113
Bruford, M. W. *see* Wilcock, H. R.
Bukaveckas, P. A. *see* Acharya, K.
Burford, M. A. *see* Antenucci, J. P.
Burns, C. W. *see* Levine, S. N.
Butterwick, C., Heaney, S. I. & Talling, J. F. Diversity in the influence of temperature on the growth rates of freshwater algae, and its ecological relevance, 291
Buzby, K. M. *see* Benstead, J. P.

Cao, Y., Hawkins, C. P. & Storey, A. W. A method for measuring the comparability of different sampling methods used in biological surveys: implications for data integration and synthesis, 1105
Carl Saunders, W. *see* Baxter, C. V.
Carlisle, D. M. & Clements, W. H. Leaf litter breakdown, microbial respiration and shredder production in metal-polluted streams, 380
Carr, G. M., Morin, A. & Chambers, P. A. Bacteria and algae in stream periphyton along a nutrient gradient, 1337
Carson, E. W. *see* Elser, J. J.
Carvalho, G. R. *see* Hänfling, B.
Carvalho, L. *see* Jeppesen, E.
see also Moss, B.
Chambers, P. A. *see* Bowman, M. F.
see also Carr, G. M.
Cheshire, K., Boyero, L. & Pearson, R. G. Food webs in tropical Australian streams: shredders are not scarce, 748
Christoffersen, K. *see* Pålsson, C.
Clarke, K. R. *see* Stoffels, R. J.
Clements, W. H. *see* Carlisle, D. M.
Closs, G. P. *see* Stoffels, R. J.
Coats, D. W. *see* Ribblett, S. G.
Collings, S. *see* James, C.
Conde-Porcuna, J. M. *see* Vandekerkhove, J.
Conrow, R. *see* Coveney, M. F.
Conroy, J. D., Edwards, W. J., Pontius, R. A., Kane, D. D., Zhang, H., Shea, J. F., Richey, J. N. & Culver, D. A. Soluble nitrogen and phosphorus excretion of exotic freshwater mussels (*Dreissena* spp.): potential impacts for nutrient remineralisation in western Lake Erie, 1146
Correia, A. M. *see* Anastácio, P. M.
Coveney, M. F., Lowe, E. F., Battoe, L. E., Marzolf, E. R. & Conrow, R. Response of a eutrophic, shallow subtropical lake to reduced nutrient loading, 1718
Coveney, M. F. *see* Jeppesen, E.
Critchley, C. *see* Moore, D.
Crosa, G. *see* Zaccara, S.
Cross, W. F., Benstead, J. P., Frost, P. C. & Thomas, S. A. Ecological stoichiometry in freshwater benthic systems: recent progress and perspectives, 1895
Cross, W. F. *see* Frost, P. C.
Crosslé, K. *see* Brock, M. A.
Culver, D. A. *see* Conroy, J. D.

David, C. *see* Davidson, T. A.
Davidson, T. A., Sayer, C. D., Bennion, H., David, C., Rose, N. & Wade, M. P. A 250 year comparison of historical, macrofossil and pollen records of aquatic plants in a shallow lake, 1671
Dawidowicz, P. *see* Ślusarczyk, M.
De Meester, L. *see* Rejas, D.
see also Vandekerkhove, J.
Declerck, S. *see* Rejas, D.
see also Vandekerkhove, J.
Deegan, L. A. *see* Benstead, J. P.
Demars, B. O. L. & Harper, D. M. Distribution of aquatic vascular plants in lowland rivers: separating the effects of local environmental conditions, longitudinal connectivity and river basin isolation, 418
DeMott, W. R. *see* Ferrão Filho, A. da S.
Deneke, R. *see* Jeppesen, E.
Descy, J.-P., Hardy, M.-A., Sténuite, S., Pirlot, S., Leporcq, B., Kimirei, I., Sekadende, B., Mwaitega, S. R. & Sinyenza, D. Phytoplankton pigments and community composition in Lake Tanganyika, 668
Descy, J.-P. *see* Pirlot, S.
Dick, J. T. A. *see* Kelly, D. W.
Diekmann, M. *see* Mehner, T.
Dobson, M. *see* Pretty, J. L.
Dodkins, I., Rippey, B. & Hale, P. An application of canonical correspondence analysis for developing ecological quality assessment metrics for river macrophytes, 891
Dokulil, M. T. & Teubner, K. Do phytoplankton communities correctly track trophic changes? An assessment using directly measured and palaeolimnological data, 1594
Dokulil, M. T. *see* Jeppesen, E.
Dolédec, S. *see* Bady, P.
see also Statzner, B.
Domaizon, I. *see* Jacquet, S.
Dowling, T. E. *see* Elser, J. J.
Dudgeon, D. *see* Yam, R. S. W.
Duhamel, S. *see* Jacquet, S.
Duncan, R. S. *see* Saloom, M. E.

Eckert, W. *see* Istvánovics, V.
Edwards, W. J. *see* Conroy, J. D.
Eguiarte, L. *see* Elser, J. J.
Eikaas, H. S., McIntosh, A. R. & Kliskey, A. D. Catchment- and site-scale influences of forest cover and longitudinal forest position on the distribution of a diadromous fish, 527
Elger, A. & Lemoine, D. Determinants of macrophyte palatability to the pond snail *Lymnaea stagnalis*, 86
Elith, J. *see* Leathwick, J. R.
Elliott, J. A., Thackeray, S. J., Huntingford, C. & Jones, R. G. Combining a regional climate model with a phytoplankton community model to predict future changes in phytoplankton in lakes, 1404
Elliott, J. M. *see* Larsson, S.
Elliott, J. M. Contrasting diel activity and feeding patterns of four instars of *Rhyacophila dorsalis* (Trichoptera), 1022
Elliott, J. M. Day–night changes in the spatial distribution and habitat preferences of freshwater shrimps, *Gammarus pulex*, in a stony stream, 552
Elliott, J. M. Ontogenetic shifts in the functional response and interference interactions of *Rhyacophila dorsalis* larvae (Trichoptera), 2021
Elser, J. J., Schampel, J. H., Garcia-Pichel, F., Wade, B. D., Souza, V., Eguiarte, L., Escalante, A. & Farmer, J. D. Effects of phosphorus enrichment and grazing snails on modern stromatolitic microbial communities, 1808
Elser, J. J., Schampel, J. H., Kyle, M., Watts, J., Carson, E. W., Dowling, T. E., Tang, C. & Roopnarine, P. D. Response of grazing snails to phosphorus enrichment of modern stromatolitic microbial communities, 1826
Encalada, A. C. *see* Peckarsky, B. L.
Escalante, A. *see* Elser, J. J.

Evans-White, M. A. & Lamberti, G. A. Grazer species effects on epilithon nutrient composition, 1853
Evans-White, M. A., Stelzer, R. S. & Lamberti, G. A. Taxonomic and regional patterns in benthic macroinvertebrate elemental composition in streams, 1786
Evarts, J. L. *see* Nowlin, W. H.
Eyre, M. D. *see* Sanderson, R. A.

Faith, D. P. *see* Linke, S.
Farmer, J. D. *see* Elser, J. J.
Fausch, K. D. *see* Baxter, C. V.
Ferrão Filho, A. da S., DeMott, W. R. & Tessier, A. J. Responses of tropical cladocerans to a gradient of resource quality, 954
Ferrier, R. *see* Bennion, H.
Fesl, C. *see* Bady, P.
Figueredo, C. C. & Giani, A. Ecological interactions between Nile tilapia (*Oreochromis niloticus*, L.) and the phytoplanktonic community of the Furnas Reservoir (Brazil), 1391
Finn, D. S. & Poff, N. L. Variability and convergence in benthic communities along the longitudinal gradients of four physically similar Rocky Mountain streams, 243
Fisher, J. *see* James, C.
Forrester, T. *see* Robson, B. J.
Forseth, T. *see* Larsson, S.
Foy, B. *see* Jeppesen, E.
Franken, R. J. M., Waluto, B., Peeters, E. T. H. M., Gardeniers, J. J. P., Beijer, J. A. J. & Scheffer, M. Growth of shredders on leaf litter biofilms: the effect of light intensity, 459
Friberg, N. *see* Baattrup-Pedersen, A.
Frisch, D. & Threlkeld, S. T. Flood-mediated dispersal versus hatching: early recolonisation strategies of copepods in floodplain ponds, 323
Frost, P. C., Cross, W. F. & Benstead, J. P. Ecological stoichiometry in freshwater benthic ecosystems: an introduction, 1781
Frost, P. C., Hillebrand, H. & Kahlert, M. Low algal carbon content and its effect on the C : P stoichiometry of periphyton, 1800
Frost, P. C. *see* Cross, W. F.
Fujino, T. *see* Asaeda, T.

Gallagher, M. B. *see* Johnson, M. J.
Gammeter, S. *see* Anneville, O.
Garcia-Pichel, F. *see* Elser, J. J.
Gardeniers, J. J. P. *see* Franken, R. J. M.
Garnett, C. *see* Moore, D.
Gayraud, S. *see* Bady, P.
George, G. *see* Jones, I.
Gerdeaux, D. *see* Jeppesen, E.
Gerloff-Elias, A., Spijkerman, E. & Schubert, H. Light acclimation of *Chlamydomonas acidophila* accumulating in the hypolimnion of an acidic lake (pH 2.6), 1301
Gerth, W. J. *see* Herlihy, A. T.
Ghadouani, A. *see* Antenucci, J. P.
Giani, A. *see* Figueredo, C. C.
Giberson, D. J. *see* Pretty, J. L.
Giller, P. S. *see* Johnson, M. J.
Giménez, M. *see* Romo, S.
Glaholt Jr, S. P. & Vanni, M. J. Ecological responses to simulated benthic-derived nutrient subsidies mediated by omnivorous fish, 1864
Gomà, J. *see* González Sagrario, M. A.
González Sagrario, M. A., Jeppesen, E., Gomà, J., Søndergaard, M., Jensen, J. P., Lauridsen, T. & Landkildehus, F. Does high nitrogen loading prevent clear-water conditions in shallow lakes at moderately high phosphorus concentrations?, 27
Granéli, W. *see* Pålsson, C.
Gray, B. R., Haro, R. J., Rogala, J. T. & Sauer, J. S. Modelling habitat associations with fingernail clam (Family: Sphaeriidae) counts at multiple spatial scales using hierarchical count models, 715
Greathouse, E. A., March, J. G. & Pringle, C. M. Recovery of a tropical stream after a harvest-related chlorine poisoning event, 603
Green, A. C. *see* Benstead, J. P.
Green, J. C. Further comment on drag and reconfiguration of macrophytes, 2162
Greig, H. S. *see* McIntosh, A. R.
Grey, J. *see* Aberle, N.
Günter, V. *see* Bergtold, M.

de Haas, E. M., Kraak, M. H. S., Koelmans, A. A. & Admiraal, W. The impact of sediment reworking by opportunistic chironomids on specialised mayflies, 770
Haeusler, T. *see* Brooks, A. J.
Hage, M. M. *see* Olson, M. H.
Hale, P. *see* Dodkins, I.
Hampton, S. E. *see* Jeppesen, E.
Hänfling, B., Bolton, P., Harley, M. & Carvalho, G. R. A molecular approach to detect hybridisation between crucian carp (*Carassius carassius*) and non-indigenous carp species (*Carassius* spp. and *Cyprinus carpio*), 403
Hansson, L.-A., Brönmark, C., Nilsson, P. A. & Åbjörnsson, K. Conflicting demands on wetland ecosystem services: nutrient retention, biodiversity or both?, 705
Harch, B. D. *see* Kennard, M. J.
Hardy, M.-A. *see* Descy, J.-P.
Hargeby, A., Blom, H., Blindow, I. & Andersson, G. Increased growth and recruitment of piscivorous perch, *Perca fluviatilis*, during a transient phase of expanding submerged vegetation in a shallow lake, 2053
Harley, M. *see* Hänfling, B.
Haro, R. J. *see* Gray, B. R.
Harper, D. M. *see* Demars, B. O. L.
Hastie, T. *see* Leathwick, J. R.
Havens, K. E. *see* Jeppesen, E.
Hawkins, C. P. *see* Cao, Y.
Haworth, E. *see* Bennion, H.
Healey, R. M. *see* Barker, P. A.
Heaney, S. I. *see* Butterwick, C.
Hedal, M. *see* Jacquet, S.
Heino, J. Functional biodiversity of macroinvertebrate assemblages along major ecological gradients of boreal headwater streams, 1578
Heino, J. & Soininen, J. Assembly rules and community models for unicellular organisms: patterns in diatoms of boreal streams, 567
Helminen, H. *see* Tarvainen, M.
Hembre, L. K. & Megard, R. O. Timing of predation by rainbow trout controls *Daphnia* demography and the trophic status of a Minnesota lake, 1064
Herlihy, A. T., Gerth, W. J., Li, J. & Banks, J. L. Macroinvertebrate community response to natural and forest harvest gradients in western Oregon headwater streams, 905
Hershey, A. E. *see* O'Brien, W. J.
Hessen, D. O. *see* Anderson, T. R.
Hieber, M., Robinson, C. T., Uehlinger, U. & Ward, J. V. A comparison of benthic macroinvertebrate assemblages among different types of alpine streams, 2087
Hildrew, A. G. *see* Wilcock, H. R.
Hillebrand, H. *see* Aberle, N.
see also Frost, P. C.
Hillyer, M. *see* Peckarsky, B. L.
Hilt, S. *see* Jeppesen, E.
see also Köhler, J.
Hobbie, J. E. *see* O'Brien, W. J.
Hogan, M. *see* Robson, B. J.
Honti, M. *see* Istvánovics, V.
Hopkins, W. A. *see* Metts, B. S.
Hopp, U. & Maier, G. Implication of the feeding limb morphology for herbivorous feeding in some freshwater cyclopoid copepods, 742
Hopp, U. & Maier, G. Survival and development of five species of cyclopoid copepods in relation to food supply: experiments with algal food in a flow-through system, 1454
Horppila, J. *see* Kornijów, R.
see also Soininen, J.
Hughes, J. M. *see* Peckarsky, B. L.
see also Schultheis, A. S.

Huisman, J. *see* Verspagen, J. M. H.
Humphries, S. *see* Brown, S. A.
Huntingford, C. *see* Elliott, J. A.
Huryn, A. D. *see* Benstead, J. P.

Ibelings, B. W. *see* Verspagen, J. M. H.
Iles, A. C. & Rasmussen, J. B. Indirect effects of metal contamination on energetics of yellow perch (*Perca flavescens*) resulting from food web simplification, 976
Irfanullah, H. Md. & Moss, B. Effects of pH and predation by *Chaoborus* larvae on the plankton of a shallow and acidic forest lake, 1913
Istvánovics, V., Honti, M., Osztoics, A., Shafik, H. M., Padisák, J., Yacobi, Y. & Eckert, W. Continuous monitoring of phytoplankton dynamics in Lake Balaton (Hungary) using on-line delayed fluorescence excitation spectroscopy, 1950

Jack, J. D. *see* Acharya, K.
Jacquet, S., Domaizon, I., Personnic, S., Ram, A.S.P., Hedal, M., Duhamel, S. & Sime-Ngando, T. Estimates of protozoan- and viral-mediated mortality of bacterioplankton in Lake Bourget (France), 627
James, C., Fisher, J., Russell, V., Collings, S. & Moss, B. Nitrate availability and hydrophyte species richness in shallow lakes, 1049
Jensen, A. J. *see* Larsson, S.
Jensen, J. P. *see* González Sagrario, M. A.
see also Jeppesen, E.
see also Søndergaard, M.
Jeppesen, E., Jensen, J. P., Søndergaard, M. & Lauridsen, T. L. Response of fish and plankton to nutrient loading reduction in eight shallow Danish lakes with special emphasis on seasonal dynamics, 1616
Jeppesen, E., Søndergaard, M., Jensen, J. P., Havens, K. E., Anneville, O., Carvalho, L., Coveney, M. F., Deneke, R., Dokulil, M. T., Foy, B., Gerdeaux, D., Hampton, S. E., Hilt, S., Kangur, K., Köhler, J., Lammens, E. H.H.R., Lauridsen, T. L., Manca, M., Miracle, M. R., Moss, B., Nõges, P., Persson, G., Phillips, G., Portielje, R., Romo, S., Schelske, C. L., Straile, D., Tatrai, I., Willén, E. & Winder, M. Lake responses to reduced nutrient loading – an analysis of contemporary long-term data from 35 case studies, 1747
Jeppesen, E. *see* Battarbee, R. W.
see also González Sagrario, M. A.
see also Anderson, N. J.
see also Søndergaard, M.
see also Vandekerkhove, J.
Johnes, P. *see* Bennion, H.
Jöhnk, K. D. *see* Verspagen, J. M. H.
Johnson, M. J., Giller, P. S., O'Halloran, J., O'Gorman, K. & Gallagher, M. B. A novel approach to assess the impact of landuse activity on chemical and biological parameters in river catchments, 1273
Johnson, R. K. *see* Stendera, S. E. S.
Jones, I., George, G. & Reynolds, C. Quantifying effects of phytoplankton on the heat budgets of two large limnetic enclosures, 1239
Jones, R. G. *see* Elliott, J. A.
Jonsson, B. *see* Larsson, S.

Kagaya, T. *see* Kobayashi, S.
see also Kochi, K.
Kahlert, M. *see* Frost, P. C.
Kairesalo, T. *see* Kornijów, R.
Kane, D. D. *see* Conroy, J. D.
Kangur, K. *see* Jeppesen, E.
Kelly, A. *see* Phillips, G.
Kelly, D. W. & Dick, J. T. A. Introduction of the non-indigenous amphipod *Gammarus pulex* alters population dynamics and diet of juvenile trout *Salmo trutta*, 127
Kennard, M. J., Arthington, A. H., Pusey, B. J. & Harch, B. D. Are alien fish a reliable indicator of river health?, 174
Kimirei, I. *see* Descy, J.-P.
Kipphut, G. *see* O'Brien, W. J.
Kishi, D., Murakami, M., Nakano, S. & Maekawa, K. Water temperature determines strength of top-down control in a stream food web, 1315
Kling, G. *see* O'Brien, W. J.
Kliskey, A. D. *see* Eikaas, H. S.
Kobayashi, S. & Kagaya, T. Hot spots of leaf breakdown within a headwater stream reach: comparing breakdown rates among litter patch types with different macroinvertebrate assemblages, 921
Kochi, K. & Kagaya, T. Green leaves enhance the growth and development of a stream macroinvertebrate shredder when senescent leaves are available, 656
Koelmans, A. A. *see* Haas, E. M.
Köhler, J., Hilt, S., Adrian, R., Nicklisch, A., Kozerski, H. P. & Walz, N. Long-term response of a shallow, moderately flushed lake to reduced external phosphorus and nitrogen loading, 1639
Köhler, J. *see* Jeppesen, E.
Kornijów, R., Vakkilainen, K., Horppila, J., Luokkanen, E. & Kairesalo, T. Impacts of a submerged plant (*Elodea canadensis*) on interactions between roach (*Rutilus rutilus*) and its invertebrate prey communities in a lake littoral zone, 262
Kozerski, H. P. *see* Köhler, J.
Kraak, M. H. S. *see* de Haas, E. M.
Kritzberg, E. S. *see* Pålsson, C.
Kyle, M. *see* Elser, J. J.

Lake, P. S. *see* Ballinger, A.
Lamberti, G. A. *see* Evans-White, M. A.
Lammens, E. H. H. R. *see* Jeppesen, E.
Landkildehus, F. *see* González Sagrario, M. A.
Larsen, S. E. *see* Baattrup-Pedersen, A.
Larsson, S., Forseth, T., Berglund, I., Jensen, A. J., Näslund, I., Elliott, J. M. & Jonsson, B. Thermal adaptation of Arctic charr: experimental studies of growth in eleven charr populations from Sweden, Norway and Britain, 353
Lauridsen, T. *see* González Sagrario, M. A.
Lauridsen, T. L. *see* Jeppesen, E.
Laybourn-Parry, J., Marshall, W. A. & Marchant, H. J. Flagellate nutritional versatility as a key to survival in two contrasting Antarctic saline lakes, 830
Laybourn-Parry, J. *see* Madan, N. J.
Leathwick, J. R., Rowe, D., Richardson, J., Elith, J. & Hastie, T. Using multivariate adaptive regression splines to predict the distributions of New Zealand's freshwater diadromous fish, 2034
Leavitt, P. R. *see* Battarbee, R. W.
Lemcke, R. *see* Mehner, T.
Lemoine, D. *see* Elger, A.
Leporcq, B. *see* Descy, J.-P.
Lepori, F. & Ormerod, S. J. Effects of spring acid episodes on macroinvertebrates revealed by population data and *in situ* toxicity tests, 1568
Levine, S. N., Zehrer, R. F. & Burns, C. W. Impact of resuspended sediment on zooplankton feeding in Lake Waihola, New Zealand, 1515
Lewin, W.-C. *see* Okun, N.
Li, J. *see* Herlihy, A. T.
Likens, G. E. *see* Macneale, K. H.
Linke, S., Norris, R. H., Faith, D. P. & Stockwell, D. ANNA: A new prediction method for bioassessment programs, 147
Litt, A. H. *see* Romare, P.
Lombardi, A. T. *see* Nogueira, P. F. M.
Lombardo, R. J. *see* Tell, G.
Lowe, E. F. *see* Coveney, M. F.
Lukančič, S. *see* Simčič, T.
Luokkanen, E. *see* Kornijów, R.

Macneale, K. H., Peckarsky, B. L. & Likens, G. E. Stable isotopes identify dispersal patterns of stonefly populations living along stream corridors, 1117
Madan, N. J., Marshall, W. A. & Laybourn-Parry, J. Virus and microbial loop dynamics over an annual cycle in three contrasting Antarctic lakes, 1291

Maekawa, K. *see* Kishi, D.
Maier, G. *see* Hopp, U.
Mamuris, Z., Stoumboudi, M. Th., Stamatis, C., Barbieri, R. & Moutou, K. A. Genetic variation in populations of the endangered fish *Ladigesocypris ghigii* and its implications for conservation, 1441
Manatunge, J. *see* Asaeda, T.
Manca, M. *see* Jeppesen, E.
Mantovani, S. *see* Thorp, J. H.
March, J. G. *see* Greathouse, E. A.
Marchant, H. J. *see* Laybourn-Parry, J.
Marshall, W. A. *see* Laybourn-Parry, J.
see also Madan, N. J.
Marzolf, E. R. *see* Coveney, M. F.
Mather, P. B. *see* Peckarsky, B. L.
Matthaei, C. D. *see* Beckmann, M. C.
Matthews, B. & Mazumder, A. Temporal variation in body composition (C : N) helps explain seasonal patterns of zooplankton $\delta^{13}C$, 502
Mazumder, A. *see* Matthews, B.
McIntosh, A. R., Greig, H. S., McMurtrie, S. A., Nyström, P. & Winterbourn, M. J. Top-down and bottom-up influences on populations of a stream detritivore, 1206
McIntosh, A. R. *see* Eikaas, H. S.
McMurtrie, S. A. *see* McIntosh, A. R.
Megard, R. O. *see* Hembre, L. K.
Mehner, T., Diekmann, M., Brämick, U. & Lemcke, R. Composition of fish communities in German lakes as related to lake morphology, trophic state, shore structure and human-use intensity, 70
Mehner, T. *see* Okun, N.
Melão, M. da G. G. *see* Nogueira, P. F. M.
Metts, B. S., Hopkins, W. A. & Nestor, J. P. Interaction of an insecticide with larval density in pond-breeding salamanders (*Ambystoma*), 685
Millan, A. *see* Barahona, J.
Miller, M. C. *see* O'Brien, W. J.
Miracle, M. R. *see* Jeppesen, E.
see also Romo, S.
Molles, M. C. *see* Tibbets, T. M.
Moore, D., O'Donohue, M., Garnett, C., Critchley, C. & Shaw, G. Factors affecting akinete differentiation in *Cylindrospermopsis raciborskii* (Nostocales, Cyanobacteria), 345
Morin, A. *see* Carr, G. M.
Mörtl, M. *see* Werner, S.
Moss, B., Barker, T., Stephen, D., Williams, A. E., Balayla, D. J., Beklioglu, M. & Carvalho, L. Consequences of reduced nutrient loading on a lake system in a lowland catchment: deviations from the norm?, 1687
Moss, B. *see* Irfanullah, H. Md.
see also James, C.
see also Jeppesen, E.
Moulton, T. P. *see* de Souza, M. L.
Moutou, K. A. *see* Mamuris, Z.
Mur, L. R. *see* Verspagen, J. M. H.
Murakami, M. *see* Kishi, D.
Mwaitega, S. R. *see* Descy, J.-P.

Nakano, D., Yamamoto, M. & Okino, T. Ecosystem engineering by larvae of net-spinning stream caddisflies creates a habitat on the upper surface of stones for mayfly nymphs with a low resistance to flows, 1492
Nakano, S. *see* Kishi, D.
Nally, R. M. *see* Ballinger, A.
Näslund, I. *see* Larsson, S.
Nestor, J. P. *see* Metts, B. S.
Nichols, R. A. *see* Wilcock, H. R.
Nicklisch, A. *see* Köhler, J.
Nielsen, D. L. *see* Brock, M. A.
Nijboer, R. C., Verdonschot, P. F. M. & Van der Werf, D. C. The use of indicator taxa as representatives of communities in bioassessment, 1427
Nilsson, P. A. *see* Hansson, L.-A.
Nõges, P. *see* Jeppesen, E.
Nogueira, P. F. M., Melão, M. da G. G., Lombardi, A. T. & Vieira, A. A. H. The effects of *Anabaena spiroides* (Cyanophyceae) exopolysaccharide on copper toxicity to *Simocephalus serrulatus* (Cladocera, Daphnidae), 1560
Norlin, J. I., Bayley, S. E. & Ross, L. C. M. Submerged macrophytes, zooplankton and the predominance of low- over high-chlorophyll states in western boreal, shallow-water wetlands, 868
Norris, R. H. *see* Linke, S.
Nowlin, W. H., Evarts, J. L. & Vanni, M. J. Release rates and potential fates of nitrogen and phosphorus from sediments in a eutrophic reservoir, 301
Nyström, P. Non-lethal predator effects on the performance of a native and an exotic crayfish species, 1938
Nyström, P. *see* McIntosh, A. R.

O'Brien, W. J., Barfield, M., Bettez, N., Hershey, A. E., Hobbie, J. E., Kipphut, G., Kling, G. & Miller, M. C. Long-term response and recovery to nutrient addition of a partitioned arctic lake, 731
O'Donohue, M. *see* Moore, D.
O'Farrell, I. *see* Tell, G.
O'Gorman, K. *see* Johnson, M. J.
O'Halloran, J. *see* Johnson, M. J.
Okino, T. *see* Nakano, D.
Okun, N., Lewin, W.-C. & Mehner, T. Top-down and bottom-up impacts of juvenile fish in a littoral reed stand, 798
Olsen, D. A. & Townsend, C. R. Flood effects on invertebrates, sediments and particulate organic matter in the hyporheic zone of a gravel-bed stream, 839
Olson, M. H., Hage, M. M., Binkley, M. D. & Binder, J. R. Impact of migratory snow geese on nitrogen and phosphorus dynamics in a freshwater reservoir, 882
Orizaola, G. & Braña, F. Plasticity in newt metamorphosis: the effect of predation at embryonic and larval stages, 438
Ormerod, S. J. *see* Lepori, F.
Osztoics, A. *see* Istvánovics, V.
Ouborg, N. J. *see* Pollux, B. J. A.

Padisák, J. *see* Istvánovics, V.
Paerl, H. W. *see* Vähätalo, A. V.
Palmer, M. A. *see* Ribblett, S. G.
Pålsson, C., Kritzberg, E. S., Christoffersen, K. & Granéli, W. Net heterotrophy in Faroe Islands clear-water lakes: causes and consequences for bacterioplankton and phytoplankton, 2011
Pardo, I. *see* Álvarez, M.
Parente, V. S. *see* Anastácio, P. M.
Pates, J. M. *see* Barker, P. A.
Payne, R. J. *see* Barker, P. A.
Pearson, R. G. *see* Cheshire, K.
Peckarsky, B. L., Hughes, J. M., Mather, P. B., Hillyer, M. & Encalada, A. C. Are populations of mayflies living in adjacent fish and fishless streams genetically differentiated?, 42
Peckarsky, B. L. *see* Macneale, K. H.
Pedersen, N. L. *see* Sand-Jensen, K.
Pedersen, O. *see* Andersen, T.
Peeters, E. T. H. M. *see* Franken, R. J. M.
Persaud, A. D. & Williamson, C. E. Ultraviolet and temperature effects on planktonic rotifers and crustaceans in northern temperate lakes, 467
Personnic, S. *see* Jacquet, S.
Persson, G. *see* Jeppesen, E.
Peterson, B. J. *see* Benstead, J. P.
Phillips, G., Kelly, A., Pitt, J.-A., Sanderson, R. & Taylor, E. The recovery of a very shallow eutrophic lake, 20 years after the control of effluent derived phosphorus, 1628
Phillips, G. *see* Bennion, H.
see also Jeppesen, E.
Pickup, R. W. *see* Brown, S. A.
Pirlot, S., Vanderheyden, J., Descy, J.-P. & Servais, P. Abundance and biomass of heterotrophic microorganisms in Lake Tanganyika, 1219
Pirlot, S. *see* Descy, J.-P.
Pitt, J.-A. *see* Phillips, G.
Poff, N. L. *see* Finn, D. S.
Pollux, B. J. A., Santamaria, L. & Ouborg, N. J. Differences in endozoochorous dispersal between aquatic plant species, with reference to plant population persistence in rivers, 232

Pontius, R. A. *see* Conroy, J. D.
Portielje, R. *see* Jeppesen, E.
Prat, N. *see* Bonada, N.
Pretty, J. L., Giberson, D. J. & Dobson, M. Resource dynamics and detritivore production in an acid stream, 578
Pringle, C. M. *see* Greathouse, E. A.
Pusey, B. J. *see* Kennard, M. J.

Ram, A.S.P. *see* Jacquet, S.
Rasmussen, J. B. *see* Iles, A. C.
Reinfelds, I. *see* Brooks, A. J.
Rejas, D., Declerck, S., Auwerkerken, J., Tak, P. & De Meester, L. Plankton dynamics in a tropical floodplain lake: fish, nutrients, and the relative importance of bottom-up and top-down control, 52
Resh, V. *see* Rudnick, D.
Reynolds, C. *see* Jones, I.
Ribblett, S. G., Palmer, M. A. & Coats, D. W. The importance of bacterivorous protists in the decomposition of stream leaf litter, 516
Richardson, J. *see* Leathwick, J. R.
Richey, J. N. *see* Conroy, J. D.
Rieradevall, M. *see* Bonada, N.
Riessen, H. P. *see* Young, J. D.
Riis, T. *see* Baattrup-Pedersen, A.
Rippey, B. *see* Dodkins, I.
Robinson, C. T. *see* Hieber, M.
Robson, B. J., Hogan, M. & Forrester, T. Hierarchical patterns of invertebrate assemblage structure in stony upland streams change with time and flow permanence, 944
Rodríguez, M. A. *see* Turgeon, K.
Roelofs, J. G. M. *see* Boedeltje, G.
Rogala, J. T. *see* Gray, B. R.
Rojo, C. *see* Alvarez-Cobelas, M.
Romare, P., Schindler, D. E., Scheuerell, M. D., Scheuerell, J. M., Litt, A. H. & Shepherd, J. H. Variation in spatial and temporal gradients in zooplankton spring development: the effect of climatic factors, 1007
Romero, J. R. *see* Antenucci, J. P.
Romo, S., Villena, M.-J., Sahuquillo, M., Soria, J. M., Giménez, M., Alfonso, T., Vicente, E. & Miracle, M. R. Response of a shallow Mediterranean lake to nutrient diversion: does it follow similar patterns as in northern shallow lakes?, 1706
Romo, S. *see* Jeppesen, E.
Roopnarine, P. D. *see* Elser, J. J.
Rose, N. *see* Davidson, T. A.
Ross, L. C. M. *see* Norlin, J. I.
Rothhaupt, K. O. *see* Witthöft-Mühlmann, A.
Rothhaupt, K.-O. *see* Werner, S.
Rowe, D. *see* Leathwick, J. R.
Rudnick, D. & Resh, V. Stable isotopes, mesocosms, and gut content analysis demonstrate trophic differences in two invasive decapod crustacea, 1323
Rushton, S. P. *see* Sanderson, R. A.
Russell, V. *see* James, C.
Ruxton, G. D. *see* Brown, S. A.
Rygielska, E. *see* Ślusarczyk, M.

Sahuquillo, M. *see* Romo, S.
Saloom, M. E. & Duncan, R. S. Low dissolved oxygen levels reduce antipredation behaviours of the freshwater clam *Corbicula fluminea*, 1233
Sanderson, R. *see* Phillips, G.
Sanderson, R. A., Eyre, M. D. & Rushton, S. P. The influence of stream invertebrate composition at neighbouring sites on local assemblage composition, 221
Sand-Jensen, K. Aquatic plants are open flexible structures – a reply to Sukhodolov, 196
Sand-Jensen, K. & Pedersen, N. L. Differences in temperature, organic carbon and oxygen consumption among lowland streams, 1927
Sand-Jensen, K., Borum, J. & Binzer, T. Oxygen stress and reduced growth of *Lobelia dortmanna* in sandy lake sediments subject to organic enrichment, 1034
Santamaria, L. *see* Pollux, B. J. A.
Sarvala, J. *see* Tarvainen, M.
Sauer, J. S. *see* Gray, B. R.
Sayer, C. D. *see* Davidson, T. A.
Schampel, J. H. *see* Elser, J. J.
Scheffer, M. *see* Franken, R. J. M.
Schelske, C. L. *see* Jeppesen, E.
Scheuerell, J. M. *see* Romare, P.
Scheuerell, M. D. *see* Romare, P.
Schindler, D. E. *see* Romare, P.
Schindler, D. W. *see* Bowman, M. F.
Schöll, F. *see* Bady, P.
see also Beckmann, M. C.
see also Statzner, B.
Schubert, H. *see* Gerloff-Elias, A.
Schultheis, A. S. & Hughes, J. M. Spatial patterns of genetic structure among populations of a stone-cased caddis (Trichoptera: Tasimiidae) in south-east Queensland, Australia, 2002
Sekadende, B. *see* Descy, J.-P.
Servais, P. *see* Pirlot, S.
Shafik, H. M. *see* Istvánovics, V.
Shaw, G. *see* Moore, D.
Shea, J. F. *see* Conroy, J. D.
Shepherd, J. H. *see* Romare, P.
Simčič, T., Lukančič, S. & Brancelj, A. Comparative study of electron transport system activity and oxygen consumption of amphipods from caves and surface habitats, 494
Sime-Ngando, T. *see* Jacquet, S.
Sinyenza, D. *see* Descy, J.-P.
Ślusarczyk, M., Dawidowicz, P. & Rygielska, E. Hide, rest or die: a light-mediated diapause response in *Daphnia magna* to the threat of fish predation, 141
Smolders, A. J. P. *see* Boedeltje, G.
Snelder, E. O. F. M. *see* Verspagen, J. M. H.
Soininen, J., Tallberg, P. & Horppila, J. Phytoplankton community assembly in a large boreal lake – deterministic pathways or chaotic fluctuations?, 2076
Soininen, J. *see* Heino, J.
Søndergaard, M., Jensen, J. P. & Jeppesen, E. Seasonal response of nutrients to reduced phosphorus loading in 12 Danish lakes, 1605
Søndergaard, M. *see* González Sagrario, M. A.
see also Jeppesen, E.
see also Anderson, N. J.
Soria, J. M. *see* Romo, S.
de Souza, M. L. & Moulton, T. P. The effects of shrimps on benthic material in a Brazilian island stream, 592
Souza, V. *see* Elser, J. J.
Spijkerman, E. *see* Gerloff-Elias, A.
Stamatis, C. *see* Mamuris, Z.
Statzner, B., Bady, P., Dolédec, S. & Schöll, F. Invertebrate traits for the biomonitoring of large European rivers: an initial assessment of trait patterns in least impacted river reaches, 2136
Stefani, F. *see* Zaccara, S.
Steiner, C. F. Temporal stability of pond zooplankton assemblages, 105
Stelzer, R. S. *see* Evans-White, M. A.
Stendera, S. E. S. & Johnson, R. K. Additive partitioning of aquatic invertebrate species diversity across multiple spatial scales, 1360
Sténuite, S. *see* Descy, J.-P.
Stephen, D. *see* Moss, B.
Stockwell, D. *see* Linke, S.
Stoffels, R. J., Clarke, K. R. & Closs, G. P. Spatial scale and benthic community organisation in the littoral zones of large oligotrophic lakes: potential for cross-scale interactions, 1131
Stoks, R. *see* Van Doorslaer, W.
Storey, A. W. *see* Cao, Y.
Stoumboudi, M. Th. *see* Mamuris, Z.
Straile, D. *see* Anneville, O.
see also Jeppesen, E.
Suberkropp, K. *see* Benstead, J. P.
Sukhodolov, A. Comment on drag and reconfiguration of macrophytes, 194
Sylvestre, S. & Bailey, R. C. Ecology of leaf pack macroinvertebrate communities in streams of the Fraser River Basin, British Columbia, 1094

Tak, P. *see* Rejas, D.
Tallberg, P. *see* Soininen, J.
Talling, J. F. *see* Butterwick, C.
Tang, C. *see* Elser, J. J.
Tarvainen, M., Ventelä, A.-M., Helminen, H. & Sarvala, J. Nutrient release and resuspension generated by ruffe (*Gymnocephalus cernuus*) and chironomids, 447
Tatrai, I. *see* Jeppesen, E.
Taylor, E. *see* Phillips, G.
Tell, G., O'Farrell, I. & Lombardo, R. J. Euglenoid morphospecies replacement along a hydraulic gradient of the Lower Paraná Basin (Argentina), 616
Tessier, A. J. *see* Ferrão Filho, A. da S.
Teubner, K. *see* Dokulil, M. T.
Thackeray, S. J. *see* Elliott, J. A.
Thomas, S. A. *see* Cross, W. F.
Thorp, J. H. & Mantovani, S. Zooplankton of turbid and hydrologically dynamic prairie rivers, 1474
Threlkeld, S. T. *see* Frisch, D.
Tibbets, T. M. & Molles, M. C. C : N : P stoichiometry of dominant riparian trees and arthropods along the Middle Rio Grande, 1882
Townsend, C. R. *see* Olsen, D. A.
Traunspurger, W. *see* Bergtold, M.
see also Witthöft-Mühlmann, A.
Tronstad, B. P. *see* Tronstad, L. M.
Tronstad, L. M., Tronstad, B. P. & Benke, A. C. Invertebrate seedbanks: rehydration of soil from an unregulated river floodplain in the south-eastern U.S., 646
Turgeon, K. & Rodríguez, M. A. Predicting microhabitat selection in juvenile Atlantic salmon *Salmo salar* by the use of logistic regression and classification trees, 539

Uehlinger, U. *see* Hieber, M.

Vacca, J. A. *see* Benstead, J. P.
Vähätalo, A. V., Wetzel, R. G. & Paerl, H. W. Light absorption by phytoplankton and chromophoric dissolved organic matter in the drainage basin and estuary of the Neuse River, North Carolina (U.S.A.), 477
Vakkilainen, K. *see* Kornijów, R.
Valladolid, M. *see* Alvarez-Cobelas, M.
Vandekerkhove, J., Declerck, S., Brendonck, L., Conde-Porcuna, J. M., Jeppesen, E. & De Meester, L. Hatching of cladoceran resting eggs: temperature and photoperiod, 96
Vanderheyden, J. *see* Pirlot, S.
Van der Werf, D. C. *see* Nijboer, R. C.
Van Doorslaer, W. & Stoks, R. Thermal reaction norms in two *Coenagrion* damselfly species: contrasting embryonic and larval life-history traits, 1982
Vanni, M. J. *see* Glaholt Jr, S. P.
see also Nowlin, W. H.
Velasco, J. L. *see* Alvarez-Cobelas, M.
Velasco, J. *see* Barahona, J.
Ventelä, A.-M. *see* Tarvainen, M.
Verdonschot, P. F. M. *see* Nijboer, R. C.
Verspagen, J. M. H., Snelder, E. O. F. M., Visser, P. M., Jöhnk, K. D., Ibelings, B. W., Mur, L. R. & Huisman, J. Benthic–pelagic coupling in the population dynamics of the harmful cyanobacterium *Microcystis*, 854
Vicente, E. *see* Romo, S.
Vieira, A. A. H. *see* Nogueira, P. F. M.
Villena, M.-J. *see* Romo, S.
Visser, P. M. *see* Verspagen, J. M. H.

Wade, B. D. *see* Elser, J. J.
Wade, M. P. *see* Davidson, T. A.
Waluto, B. *see* Franken, R. J. M.
Walz, N. *see* Köhler, J.
Ward, J. V. *see* Hieber, M.
Watts, J. *see* Elser, J. J.
Weithoff, G. On the ecology of the rotifer *Cephalodella hoodi* from an extremely acidic lake, 1464
Werner, S., Mörtl, M., Bauer, H.-G. & Rothhaupt, K.-O. Strong impact of wintering waterbirds on zebra mussel (*Dreissena polymorpha*) populations at Lake Constance, Germany, 1412
Westermann, I. *see* Brändle, M.
Wetzel, R. G. *see* Vähätalo, A. V.
Wilcock, H. R., Bruford, M. W., Hildrew, A. G. & Nichols, R. A. Recruitment, kin and the spatial genetic structure of a caddisfly *Plectrocnemia conspersa* in a southern English stream, 1499
Willén, E. *see* Jeppesen, E.
Williams, A. E. *see* Moss, B.
Williams, S. *see* Brooks, A. J.
Williamson, C. E. *see* Persaud, A. D.
Wiltshire, K. H. *see* Aberle, N.
Winder, M. *see* Jeppesen, E.
Winterbourn, M. J. *see* McIntosh, A. R.
Witthöft-Mühlmann, A., Traunspurger, W. & Rothhaupt, K. O. Meiobenthic response to river-borne benthic particulate matter – a microcosm experiment, 1548
Wu, B. *see* Xie, Y.

Xie, Y., An, S. & Wu, B. Resource allocation in the submerged plant *Vallisneria natans* related to sediment type, rather than water-column nutrients, 391

Yacobi, Y. *see* Istvánovics, V.
Yam, R. S. W. & Dudgeon, D. Inter- and intraspecific differences in the life history and growth of *Caridina* spp. (Decapoda: Atyidae) in Hong Kong streams, 2114
Yamamoto, M. *see* Nakano, D.
Young, J. D. & Riessen, H. P. The interaction of *Chaoborus* size and vertical distribution determines predation effects on *Daphnia*, 993

Zaccara, S., Stefani, F. & Crosa, G. Diversity of mitochondrial DNA of the endangered white-clawed crayfish (*Austropotamobius italicus*) in the Po River catchment, 1262
Zamora-Muñoz, C. *see* Bonada, N.
Zehrer, R. F. *see* Levine, S. N.
Zhang, H. *see* Conroy, J. D.